



Please use these size charts to determine the appropriate Zorrel garment size to order for all fits offered.

Men's							
Zorrel Size	XS	S	M	L	XL	2XL	3XL
Neck	13 1/2-14	14-14 1/2	15-15 1/2	16-16 1/2	17-17 1/2	18-18 1/2	19-19 1/2
Chest	34-36	36-38	39-41	42-44	45-47	48-50	51-53
Sleeve Length	31 1/2-32	32 1/2	33 1/2-34	34 1/2-35	35 1/2	36-36 1/2	37-37 1/2
Men's Generalized Standard Body Lengths							
Tees	27	28	29	30	31	32 1/2	34
Polos	28 1/2	29	29 3/4	30 1/2	31 1/4	32	32 3/4
Jackets	26	26 1/2	27 1/2	28 1/2	29 1/2	30 1/2	31 1/2
Women's							
Zorrel Size	XS	S	M	L	XL	2XL	3XL
Equivalent Size	0-2	4-6	8-10	12-14	16-18	20	22
Bust/Chest	32 1/2-33 1/2	34 1/2-35 1/2	36 1/2-37 1/2	38 1/2-40	41 1/2-43 1/2	45 1/2-47	48-49 1/2
Waist	24 1/2-25 1/2	26 1/2-27 1/2	28 1/2-29 1/2	31-32 1/2	34 1/2-36	38	40
Hip	34 1/2-36	36 1/2-38	38 1/2-40	41-42 1/2	44 1/2-46	48-49	50-51
Youth's							
Zorrel Size	YXS	YS	YM	YL	YXL		
Equivalent Size	2-4	6-8	10-12	14-16	18-20		
Shorts							
Zorrel Size	XS	S	M	L	XL	2XL	3XL
Male-Waist	24-26	28-29	30-32	32-34	34-36	36-38	38-40
Women's Waist	24-25	26-28	28-30	30-32	32-34	34-36	36-38
Equivalent Size	0-2	4-6	8-10	12-14	16-18	20	22



- 1. Neck**
Measure neck circumference where the standard button type collar might be fastened.
- 2. Sleeve Length**
Measure the distance from the prominent bone at center back neck, across the shoulder, over the bent elbow to the center of the wrist bone.
- 3. Bust/Chest**
Measure the Chest circumference at the fullest point keeping the tape horizontal around the body.
- 4. Waist**
Measure the waist circumference at the smallest part of the waist, often at or above the belly button, keeping the tape horizontal around the body.
- 5. Hip**
Measure the hip circumference at the fullest part of the seat, keeping the tape horizontal around the body.
- 6. Inseam to Floor**
Measure the distance from the groin point to the floor.



Snag and Pill Test Ratings
Look for the ratings to each of our fabrics.

ASTM D5362
Standard Test Method for Snagging Resistance of Fabrics, resulting in a rating of 1 to 5, 1 being poor & 5 being excellent

ASTM D4970
Standard Test Method for Pilling Resistance and Other Related Surface Changes of Textile Fabrics, resulting in a rating of 1 to 5, 1 being poor & 5 being excellent